

ANODES



XL101	Roerbladanode bol, per stuk, 190gr, ø70mm, zink
XL102	Roerbladanode bol, per stuk, 420gr, ø90mm, zink
XL105	Roerbladanode bol, per stuk, 1,45kg, ø140mm, zink
XL107	Roerbladanode bol, per stuk, 6,2kg, ø225mm, zink
XL101P	Roerbladanode bol, per stuk, 300gr, large, ø70mm, zink
XL102P	Roerbladanode bol, per stuk, 890gr, large, ø90mm, zink
XL105P	Roerbladanode bol, per stuk, 2kg, large, ø140mm, zink
XL101PAL	Roerbladanode bol, per stuk, 145gr, ø70mm, aluminium
XL103PAL	Roerbladanode bol, per stuk, 420gr, ø110mm, aluminium
XL105PAL	Roerbladanode bol, per stuk, 890gr, ø140mm, aluminium
XL107AL	Roerbladanode bol, per stuk, 2,5kg, ø225mm, aluminium



XL220	(Vetus) opschroef anode Type 15 1kg, zink
XL221	(Vetus) opschroef anode Type 25 2,3kg, zink
XL220AL	(Vetus) opschroef anode Type 15 0,5kg, aluminium
XL221AL	(Vetus) opschroef anode Type 25 1,1kg, aluminium
XL221MG	(Vetus) opschroef anode Type 25 0,58kg, magnesium




XL300	Lasanode met stalen strip 0,65kg/100x60x18mm, zink
XL303	Lasanode met stalen strip 2,2kg/210x70x28mm, zink
XL304	Lasanode met stalen strip 3kg/200x90x33mm, zink
XL306	Lasanode met stalen strip 5kg/300x80x40, zink
XL300AL	Lasanode met strip 0,45kg/100x60x18mm, aluminium
XL303AL	Lasanode met strip 1kg/210x70x28mm, aluminium
XL306AL	Lasanode met strip 2,5kg/300x80x40mm, aluminium
XL308AL	Lasanode met strip 3,5kg/295x125x38mm, aluminium



XL350	Lasanode met stalen strip 1kg (bolv) 120x78x25mm, zink
XL351	Lasanode met stalen strip 1,8kg (bolv) 135x87x35mm, zink
XL352	Lasanode met stalen strip 3,1kg (bolv) 160x100x40mm, zink
XL351AL	Lasanode met strip 0,86kg (bolv) 135x87x35mm, aluminium
XL352AL	Lasanode met stalen strip 1,3kg (bolv) 160x100x40mm, aluminium



XL350/B	Opschroefanode met stalen strip 1kg, gatm 200, 120x78x25mm, zink
XL351/1	Opschroefanode met stalen strip 1,8kg, gatm 200, 135x87x35mm, zink
XL352/A	Opschroefanode met stalen strip 3,1kg, gatm 200, 160x100x40mm, zink
XL350BAL	Opschroefanode met stalen strip 0,39kg, gatm 200, 120x78x25mm, aluminium
XL351-1AL	Opschroefanode met stalen strip 0,86kg, gatm 200, 135x87x35mm, aluminium
XL352/A-AL	Opschroefanode met stalen strip 1,3kg, gatm 200, 160x100x40mm, aluminium
XL352/A-A1AL	Opschroefanode met stalen strip 1,3kg, gatm 220, 160x100x40mm, aluminium



XL387/1	Opschroefanode scandinavian type 1,04kg, gatm 200, 120x78x25mm, zink
---------	--




XL480/6	Maxprop anode type 1 65/42/42 280gr, zink
XL481	Maxprop anode type 1 72/42/43 380gr, zink
XL484	Maxprop ringanode type 2 92/42/24 600gr, zink
XL485	Maxprop ringanode type 2 92/46/25 570gr, zink
XL489	Maxprop puntanode 210gr, zink

ANODES

	XL502	Asanode bol Ø25mm, 480gr, zink L=56mm
	XL506	Asanode bol Ø30mm, 430gr, zink L=56mm
	XL509	Asanode bol Ø35mm, 580gr, zink L=66mm
	XL511	Asanode bol Ø40mm, 1kg, zink L=77mm
	XL512	Asanode bol Ø45mm, 850gr, zink L=77mm
	XL513	Asanode bol Ø50mm, 1,1kg, zink L=88mm
	XL510	Asanode bol Ø1"1/2 / 38mm, 520gr, zink L=66mm
	XL518	Asanode bol Ø2"1/2 / 63,5mm, 1680gr, zink L=110mm
	XL511M	Asanode bol Ø1"3/4 / 44,4mm, 880gr, zink L=77mm
	XL502USAAL	Asanode bol Ø25mm, 160gr, aluminium L=51mm
	XL506USAAL	Asanode bol Ø30mm, 285gr, aluminium L=67mm
	XL509USAAL	Asanode bol Ø35mm, 315gr, aluminium L=67mm
	XL511USAAL	Asanode bol Ø40mm, 495gr, aluminium L=67mm
	XL512USAAL	Asanode bol Ø45mm, 472gr, aluminium L=78mm
	XL513USAAL	Asanode bol Ø50mm, 490gr, aluminium L=83mm
	XL502UK	Asanode Lang Ø25mm, 690gr, zink L=65mm
	XL551	Ring anode Ø7/8" / 22mm, 255gr, zink h=25mm
	XL552	Ring anode Ø25mm, 228gr, zink h=25mm
	XL552L	Ring anode, small Ø25mm, 230gr, zink h=18mm
	XL555	Ring anode Ø30mm, 265gr, zink h=25mm
	XL555L	Ring anode, small Ø30mm, 280gr, zink h=18mm
	XL557	Ring anode Ø35mm, 225gr, zink h=25mm
	XL558	Ring anode Ø40mm, 450gr, zink h=20mm
	XL559	Ring anode Ø45mm, 425gr, zink h=20mm
	XL560	Ring anode Ø50mm, 610gr, zink h=25mm
	XL552AL	Ring anode Ø25mm, 90gr, aluminium h=25mm
	XL555AL	Ring anode Ø30mm, 72gr, aluminium h=25mm
	XL557AL	Ring anode Ø35mm, 89gr, aluminium h=25mm
	XL558AL	Ring anode Ø40mm, 180gr, aluminium h=20mm
	XL559AL	Ring anode Ø45mm, 160gr, aluminium h=20mm
	XL560AL	Ring anode Ø50mm, 240gr, aluminium h= 25mm
	XL400E	Hex replacement prop nut/shaft 20/25mm, 120gr, zink h=39mm
	XL401E	Hex replacement prop nut/shaft 30mm, 250gr, zink h=53mm
	XL402E	Hex replacement prop nut/shaft 35mm, 350gr, zink h=62mm
	XL403E	Hex replacement prop nut/shaft 40mm, 460gr, zink h=67mm
	XL400	Conische schroefanode/shaft 20/25mm, 135gr, zink h=39mm
	XL401	Conische schroefanode/shaft 30mm, 280gr, zink h=53mm
	XL402	Conische schroefanode/shaft 35mm, 390gr, zink h=62mm
	XL403	Conische schroefanode/shaft 40mm, 505gr, zink h=68mm
	XL460	Schroefanode voor borgpen/shaft 25mm, 130gr, zink h=34mm
	XL461	Schroefanode voor borgpen/shaft 30mm, 340gr, zink h=50mm
	XL462	Schroefanode voor borgpen/shaft 35mm, 455gr, zink h=55mm
	XL463	Schroefanode voor borgpen/shaft 40mm, 535gr, zink h=55mm

ANODES

	XL270EAL	Fairline opschroefanode/1 kg, 320x65x35mm, aluminium
	XL62060	Schroefanode as ø22/25mm M16x200, zink
	XL62062	Schroefanode as ø28/35mm M20x250, zink
	XL62064	Schroefanode as ø40mm M28x250, zink
	XL1305	Yanmar saildrive anode, zink
	XL1305/1	Yanmar saildrive anode, gedeeld, zink
	XL1305/1AL	Yanmar saildrive anode, gedeeld, 1 aluminium
	XL1316	Yanmar motoranode, zink (=XL1318) L=32mm ø12,5mm
	XL1317	Yanmar intercooler anode, zink (119574/18790) L=59mm ø16mm
	XL1320T	Yanmar saildrive anode, gedeeld, zink
	XL800AL	Mercury Skeg for trim tab 50HP, aluminium
	XL800MG	Mercury Skeg for trim tab 50HP, magnesium (31640) ø95mm h=52mm
	XL804AL	Mercury Skeg for trim tab 50-140HP, aluminium
	XL804MG	Mercury Skeg for trim tab 50-140HP, magnesium (46399) ø91mm h=65mm
	XL806BISAL	Mercruiser Block for Alpha & Bravo outboard, aluminium
	XL806BISMG	Mercruiser Block for Alpha & Bravo outboard, magnesium (43994) 78x103mm
	XL807AL	Mercruiser Nut for Alpha/Bravo one outdrive, aluminium
	XL807MG	Mercruiser Nut for Alpha/Bravo one outdrive, magnesium (55989) uitw ø31mm h=30mm

ANODES



XL814AL Mercruiser Cavitation plate for Alpha one, aluminium
XL814MG Mercruiser Cavitation plate for Alpha one, magnesium
(821629) 72x190x16mm



XL815AL Mercruiser Cavitation plate for Bravo I/II/III, aluminium
XL815MG Mercruiser Cavitation plate for Bravo I/II/III, magnesium
(821630) 108x177x14mm




XL817AL Mercruiser Collar for Alpha one, aluminium
XL817MG Mercruiser Collar for Alpha one, magnesium
(806189) ø 49mm



XL818AL Mercruiser Collar for Mercruiser Bravo, aluminium
XL818MG Mercruiser Collar for Mercruiser Bravo, magnesium
(806190) ø51mm h=51mm



XL819AL Mercruiser Collar for Alpha one Gen 2, aluminium
XL819MG Mercruiser Collar for Alpha one Gen 2, magnesium
(806105) ø53mm



XL820AL Mercruiser Plate for Alpha one, aluminium
XL820MG Mercruiser Plate for Alpha one, magnesium
(806105) ø92mm



XL823AL Mercury button anode for engines Ø20 H.7, aluminium
XL823MG Mercury button anode for engines Ø20 H.7, magnesium
(823912) ø20mm



XL824AL Mercury button anode for engines Ø24 H.6,5, aluminium
XL824MG Mercury button anode for engines Ø24 H.7, magnesium
(823913) ø24mm



XL825AL Mercury Small plate for 75HP - V6 40/50/115 EFI 4T, aluminium
XL825MG Mercury Small plate for 75HP - V6 40/50/115 EFI 4T, magnesium
(826134) 30x22x77mm



XL828AL Mercruiser Collar for Bravo I & III, aluminium
XL828MG Mercruiser Collar for Bravo I & III, magnesium
(806188) ø70mm inw.



XL832AL Mercury Plate for Verado 215-275 (2 each engine), aluminium
(880653) ø44x35x21mm



XL833AL Mercury Plate for Verado 215-275 (4 each engine), aluminium
(893404) 27x74x10mm

ANODES



XL703
XL703AL
XL703MG
Volvo outdrive ring for engine 280 - 290 single prop, zink
Volvo outdrive ring for engine 280 - 290 single prop, aluminium,
Volvo outdrive ring for engine 280 - 290 single prop, magnesium
(875815)



XL704BISAL
XL704BISMG
Volvo outdrive ring for engine 290 duo prop, aluminium
Volvo outdrive ring for engine 290 duo prop, magnesium
(875821)



XL705AL
XL705MG
Volvo ring for sail drive 110, aluminium
Volvo ring for sail drive 110, magnesium
(875812)



XL706
XL706AL
XL706MG
Volvo ring for sail drive 120, zink
Volvo ring for sail drive 120, aluminium
Volvo ring for sail drive 120, magnesium
(851983-876286)



XL707AL
XL707MG
Volvo outdrive bar for engine series 250-270-275-280-285, aluminium
Volvo outdrive bar for engine series 250-270-275-280-285, magnesium
(832598) 188x41x22mm



XL708
XL708AL
XL708MG
Volvo outdrive bar for engine 290 duo prop, zink
Volvo outdrive bar for engine 290 duo prop, aluminium
Volvo outdrive bar for engine 290 duo prop, magnesium
(852835-873178) 132x46x25mm



XL717AL
XL717MG
Volvo Penta triangle plate for 290DP/290SX, DP-X, aluminium
Volvo Penta triangle plate for 290DP/290SX, DP-X, magnesium
(872793) 65x38mx13mm



XL718AL
XL718MG
Volvo Penta Gimbal plate Sail-Drive / SX series, aluminium
Volvo Penta Gimbal plate Sail-Drive / SX series, magnesium
(3854130/3586461/3855610) 91x79x47mm



XL722AL
XL722MG
Volvo Penta Block for DPX outdrive, aluminium
Volvo Penta Block for DPX outdrive, magnesium
(873395) 54x41x34mm



XL724AL
XL724MG
Volvo Penta Bar PDX outdrive, aluminium
Volvo Penta Bar PDX outdrive, magnesium
(872139) 130x25x35mm



XL726AL
XL726MG
Volvo Penta Transom plate for SX outdrive, aluminium
Volvo Penta Transom plate for SX outdrive, magnesium
(3855411) 104x146mm

ANODES



XL733BISAL Volvo Penta Plate for outdrive SXA/DPS-A, aluminium
 XL733BISMG Volvo Penta Plate for outdrive SXA/DPS-A, magnesium
 (3888814/3888813/3888815) 152x88x56mm



XL734 Anode deelbaar voor Volvo Saildrive 130S, zink
 XL734AL Anode deelbaar voor Volvo Saildrive 130S, aluminium
 (3888305)



XL734C Anode deelbaar voor Volvo Saildrive 130S, zink(met bouten)
 XL734C-AL Anode deelbaar voor Volvo Saildrive 130S, aluminium(met bouten)



XL737AL Volvo Penta Plate for outdrive SX-A/APS-A, aluminium
 XL737MG Volvo Penta Plate for outdrive SX-A/APS-A, magnesium
 (3888817/3888816/3888818) 100x90x28mm



XL1123 Plate for engines, 100gr, zink
 XL1123AL Plate for engines, 38gr, aluminium
 63x25x14mm



XL2516 Ring voor Technodrive SP60 saildrive, zink
 XL2516AL Ring voor Technodrive SP60 saildrive, aluminium
 XL2516MG Ring voor Technodrive SP60 saildrive, magnesium



XL3502 Boegschroefanode Vetus, KW3/set0153, zink



XL3507 Boegschroefanode Vetus KGF60/75/80/95, zink



XL6004X ZF Collar for sterndrive, zink



XLR3MG Trimplaat anode, magnesium

ANODES

COMPLETE KITS VOOR MERCUISER EN VOLVO HEKDRIVES



XLKXLKITALPHA1G1AL
XLKITALPHA1G1MG

Mercruiser Alpha one gen.1 kit, aluminium
Mercruiser Alpha one gen.1 kit, magnesium



XLKITALPHA1AL
XLKITALPHA1MG

Mercruiser Alpha one gen. 2 kit, aluminium
Mercruiser Alpha one gen. 2 kit, magnesium



XLKITBRAVO1AL
XLKITBRAVO1MG

Mercruiser Bravo one kit, aluminium
Mercruiser Bravo one kit, magnesium



XLKITBRAVOIII04AL
XLKITBRAVOIII04MG

Mercruiser Bravo III 2004 kit, aluminium
Mercruiser Bravo III 2004 kit, magnesium



XLKITBRAVOII-IIIAL
XLKITBRAVOII-IIIMG

Mercruiser Bravo II-III, aluminium
Mercruiser Bravo II-III, magnesium



XLKITVERADO6AL
XLKITVERADO6MG

Mercury Verado, aluminium
Mercury Verado, magnesium



XLKITVOLVO280AL
XLKITVOLVO280MG

Volvo 280, aluminium
Volvo 280, magnesium



XLKITVOLVO290CAL
XLKITVOLVO290CMG

Volvo 290C, aluminium
Volvo 290C, magnesium

ANODES



XLKITVOLVO290AL
XLKITVOLVO290MG

Volvo 290, aluminium
Volvo 290, magnesium



XLKITVOLVO280DPAL
XLKITVOLVO280DPMG
XLKITVOLVO280DP

Volvo 280 Duoprop, aluminium
Volvo 280 Duoprop, magnesium
Volvo 280 Duoprop, zink



XLKITVOLVO290DPAL
XLKITVOLVO290DPMG

Volvo 290 Duoprop, aluminium
Volvo 290 Duoprop, magnesium



XLKITVOLVO290CDPAL
XLKITVOLVO290CDPMG

Volvo 290 C Duoprop, aluminium
Volvo 290 C Duoprop, magnesium



XLKITVOLVODPH/DPRAL
XLKITVOLVODPH/DPRMG

Volvo DPH/DPR, aluminium
Volvo DPH/DPR, magnesium



XLKITVOLVO3BLSDAL
XLKITVOLVO3BLSDMG

Volvo 3 bl SD, aluminium
Volvo 3 bl SD, magnesium



XLKITVOLVOSXAL
XLKITVOLVOSXMG

Volvo SX, aluminium
Volvo SX, magnesium



XLKITVOLVOSXA/DPSAAL
XLKITVOLVOSXA/DPSAMG

Volvo SXA/DPSA, aluminium
Volvo SXA/DPSA, magnesium



XLKITVOLVOIPS

Volvo IPS, zink & aluminium

Waarom een anode?

Wanneer uw boot in het water ligt beschermen anodes de verschillende metalen onderdelen, zoals schroefas, kiel, roer en motor tegen aantasting door galvanische corrosie.

Galvanische corrosie (ook wel elektrolytische corrosie) wil zeggen dat een metaal wordt aangetast doordat verschillende metalen zich in een elektrisch geleidende vloeistof bevinden.

In dit geval fungeert (zee-) water als geleider.

Het minst edele metaal (de anode) offert zich op ten bate van het meer edele metaal, dat zodoende wordt beschermd.

Welk type anode ?

Zout water : zink anode

Brak water : aluminium anode

Zoet water : magnesium anode

Op aluminium Sterndrives (o.a. Mercruiser en Volvo) adviseren wij altijd aluminium of magnesium anodes toe te passen, afhankelijk van het vaargebied.

Wanneer vervangen ?

De staat van aantasting van de anodes dient zorgvuldig in de gaten te worden gehouden. Wij adviseren om ze elk jaar te vervangen. In ieder geval als ze voor meer dan driekwart zijn opgelost. De anode moet met metaal in contact staan.

Een anode mag nooit worden geverfd.